



VBV-4 'NoCoax' Video Distributor

ARCHITECTS' AND ENGINEERS' SPECIFICATIONS

The video data distributor unit(s) shall be Alpha Communications®/S.T.R.™ model VBV-4, or approved equal, and shall provide up to four (4) amplified video data outputs for the 'NoCoax' video-intercom system. The VBV-4 shall be built into a rugged high impact ABS plastic case, and shall be powered by the model NG20 DC power supply.

Low voltage wiring shall be used and positive screw terminal connectors shall be provided for installation wiring. The VBV-4 shall be mountable right to the surface of the wall or in a customer-supplied junction box cabinet. Contractor shall observe all local and national electrical codes.

Copyright© 2004, Alpha Communications®, All Rights Reserved

VBV-4 'NoCoax' Video Distributor Unit

The Alpha Communications®/S.T.R.™ VBV-4 video distributor unit is used only with the VH30ANC and VH30CNC series 'NoCoax' video-intercom systems. The VBV-4 is used when the video data signal from the lobby entry camera(s) must be split (distributed) to several cables.

The VBV-4 gets its power from the NG20 DC power supply. All VBV-4 connections are positive screw terminal type.

Each VBV-4 has four (4) video data outputs. When multiple VBV-4's are used, for systems requiring more than four (4) outputs, multiple VBV-4 units may be "daisy-chained" to provide outputs in multiples of four (4).

FEATURES

- Easily Installs Right on Finished Wall Surface or in Optional Junction Box
- Operates on Safe Low-Voltage Class II Wiring
- Positive Screw Terminal Connectors
- Provides 4 separate amplified video data outputs
- Can be "daisy-chained" when more than 4 video outputs are needed

SPECIFICATIONS

Dimensions:	Height: 3.75" (96mm) Width: 4.25" (108mm) Depth: 2.375" (61mm) from mounting surface
Construction:	High impact Black ABS plastic case
Connections:	Positive screw terminal connectors
Temperature Range:	0-50 degrees C.
Mounting:	Surface-mounted (usually installed near the system amplifier/power supply and other system central equipment).

NOTE: We also have a special-order (Model# **VBV-2**) unit available, like the VBV-4, which has only 2-video data outputs.

Due to continuous product improvement, all colors, sizes, materials, finishes and specifications are subject to change without notice.